TRansportation ANalysis SIMulation System
(TRANSIMS)

Portland Study Reports

VOLUME ZERO—CONTENTS

10 December 2002

Los Alamos
NATIONAL LABORATORY

Copyright, 2002, The Regents of the University of California. This software was produced under a U.S. Government contract (W-7405-ENG-36) by Los Alamos National Laboratory, which is operated by the University of California for the U.S. Department of Energy. The U.S. Government is licensed to use, reproduce, and distribute this software. Neither the Government nor the University makes any warranty, express or implied, or assumes any liability or responsibility for the use of this software.

VOLUME ZERO—CONTENTS

10 December 2002

The following individuals contributed to this document:

C. L. Barrett*
R. J. Beckman*
K. P. Berkbigler*
K. R. Bisset*
B. W. Bush*
K. Campbell*
S. Eubank*
K. M. Henson*
J. M. Hurford*
D. A. Kubicek*
M. V. Marathe*
P. R. Romero*
J. P. Smith*
L. L. Smith*
P. E. Stretz*
G. L. Thayer*
E. Van Eeckhout*
M. D. Williams*

* Los Alamos National Laboratory, Los Alamos, NM 87545

Acknowledgments

This work was supported by the U. S. Department of Transportation (Assistant Secretary for Transportation Policy, Federal Highway Administration, Federal Transit Administration), the U.S. Environmental Protection Agency, and the U.S. Department of Energy as part of the Travel Model Improvement Program.

TRANSIMS Portland Study Reports Volume Zero shows the contents of the entire Portland Study Reports document set:

Volume	Title	Comments
One	Introduction / Overview	LA-UR-01-5711
Two	Study Setup: Parameters and Input Data	LA-UR-01-5712
Three	Feedback Loops	LA-UR-01-5713
Four	General Results (not validation)	LA-UR-01-5714
Five	Postprocessing for Environmental Analysis	LA-UR-01-5715
Six	Summary / Forecast Methods	Not available
Seven	Appendix: Scripts, Configuration Files, Special Travel Time Functions	LA-UR-01-5716

Volume One – Introduction / Overview

1. Introduction and Purpose of the Portland Study
2. The Input Data
3. The Modules
4. The Role of Feedback
5. Portland Study Flow of Runs
6. The Computing Environment
   6.1. Linux Cluster
   6.2. Shared Memory Multi-Processor System

Volume Two – Study Setup: Parameters and Input Data

Chapter One – Network

1. Introduction
2. Link Table
    2.1. Data
    2.2. Problems
3. Node Table
    3.1. Data
    3.2. Problems
4. Pocket Lane Table
    4.1. Data
    4.2. Problems
5. Activity Location Table
6. Parking
7. Transit Tables
    7.1. Transit Stop Table
        7.1.1. Data
        7.1.2. Problems
    7.2. Schedule File
        7.2.1. Data
        7.2.2. Problems
    7.3. Transit Route Table
        7.3.1. Data
        7.3.2. Problems
    7.4. Transit Driver Plans
        7.4.1. Data
        7.4.2. Problems
    7.5. Transit Vehicle File

8. Process Link Table
9. Lane Connectivity Table
10. Traffic Controls
11. TRANSIMS Tables Not Used in Case Study

Chapter Two – Population

1. Overview
2. Source Data
3. Generating the Population

Chapter Three – Activity Generation

1. Introduction
2. Survey Households
   2.1. Raw Survey Records
3. Binary Tree
4. Weighting the Synthetic Households
5. Activity Location Attractors / Land Use
6. Mode Coefficients
7. Itinerant Travelers, Freight, and Travel Times
8. Run Parameters (Configuration File Keys)

Chapter Four – Router

1. Introduction
2. Travel Modes
3. Link Delays
4. Other Parameters
   4.1. Overdo
   4.2. Link Delay Noise
   4.3. Maximum Leg Time
   4.4. Maximum Trip Time
5. Execution

Chapter Five – Microsimulation

1. Introduction
2. Parameter Settings
3. Signalization in the Portland Study
   3.1. Prospects
4. Generic Signal Tutorial
   4.1. Generic Signal Builder
   4.2. Assessing Generic Signal Response
   4.3. Troubleshooting

Volume Three – Feedback Loops

Chapter One – Shared Rides / Long Walks

1. Fixing Shared Ride Problems from Incomplete Survey Match
2. Implementation
   2.1. Identifying the Problem Households
   2.2. Iteratively Regenerating Activities from a Survey Household Rematch
3. Creating a Merged Activity Set
4. Fixing Long Walk / Bike Trips to School
   4.1. Create an Iteration Database
   4.2. Identify Long Walk / Bike Trips to School
   4.3. Mode Change to School Bus using Activity Regenerator
5. Implementation
   5.1. Create an Iteration Database
   5.2. Identify Long Walk /Bike Trips to School
   5.3. Mode Change to School Bus using Activity Regenerator

Chapter Two – Calibration of River Crossing Screen Lines

1. Introduction
2. Theory
3. First Methods for Portland River Crossing Calibrations
   3.1. North/South Columbia River Crossings
   3.2. South/North Columbia River Crossings
   3.3. West/East and East/West (All South of the Columbia River)
4. Implementation and Results
   4.1. Split the Activity File
   4.2. Identify Bridge Crossings
   4.3. Iteration for North/South Crossings

4.3.1. Collate the Initial Activity File

4.3.2. Count Crossings in the Initial Activity File

4.3.3. Regenerate Activities for Selected Households

4.3.4. Collate the Partial Activity File

4.3.5. Count Crossings in the Partial Activity File

4.3.6. Continue Iterations Until Acceptable

4.3.7. Create a New Activity File

4.4. Iteration for South/North Crossings

4.5. Iteration for West/East Crossings

4.5.1. Collate the Initial Activity File

4.5.2. Count Crossings in the Initial Activity File

4.5.3. Regenerate Activities for Selected Households

4.5.4. Collate the Partial Activity Files

4.5.5. Count Crossings in the Partial Activity File

4.5.6. Create a New Activity File

4.5.7. Continue Iterations Until Acceptable

4.6. Iteration for East/West Crossings

4.7. Concatenate the Activity Files

4.8. Portland Results

5. A Second Method to Refine the Bridge Crossings

Chapter Three – Experimental Mode Choice and Long Walks

1. Preliminary Mode Choice

1.1. Impossible Transit

1.2. Including Park and Ride

2. Long Walks

Chapter Four -- Stabilization

1. Purpose and Methodology
    1.1. Travel Time Feedback
        1.1.1. Selecting Travelers for Re-planning
        1.1.2. Judging Convergence
        1.1.3. Resolving Jams
2. The Procedure for Routing, Plan Preparation, Microsimulation
    2.1. Introduction
    2.2. (Re)routing
        2.2.1. Description
        2.2.2. Process
            2.2.2.1.Link Delay File for Rerouting
            2.2.2.2.Directories and Configuration File
            2.2.2.3.Household Files
            2.2.2.4.Running the Route Planner
            2.2.2.5.Error Recovery
            2.2.2.6.Steps to Restart Failed Route Planner tNN
            2.2.2.7.Clean-Up of Plan Files for Restarted Routers
    2.3. Plan Preparation
        2.3.1. Description
        2.3.2. Process
            2.3.2.1.Plan Validation
            2.3.2.2.Organize the Validated Plans by Start Time
            2.3.2.3.Merge the Time-Sorted Plans
            2.3.2.4.Distributing the Time-Sorted Plans
    2.4. Traffic Microsimulation
3. The Results
    3.1. Cutlines and Speeds for All of the Runs

3.2. The First Four Iterations

3.3. Iterations RS/MS15 to RS/MS19R

4. Summary

5. Addendum

Chapter Five – Mode Choice

1. Introduction

2. Case Study Mode Choice

2.1. Case Study Model & Definitions

2.1.1. Model: Cost Function and Stratification

2.1.2. Calibration of this Model

2.1.3. Travel Time Definition

2.1.4. Monetary Cost Details

2.1.5. Urbanization Value

2.1.6. "Near Transit"

2.1.7. Other Notes

2.2. Results of Calibration and Application

2.2.1. Initialization and Calibration

2.2.2. Application

3. Some Topics of Interest

3.1. Cost Functions that Cannot be Calibrated

3.2. Nonuniqueness of the Cost Function

3.3. Sample Sizes, Biases and Variability

3.4. Boarding Times for Transit

4. Summary

5. Appendix A: General Scripts for Mode Calibration

5.1. Calibration Methods

5.1.1. Initialization

5.1.2. Calibration

5.2. Application to Forecast Year

5.2.1. Initial Application

5.2.2. Iteration

6. Appendix B: Scripts and Configuration Files

6.1. Configuration Files

6.1.1. ReModeAuto-A.cfg

6.1.2. ReModeTrans-A.cfg

6.1.3. RemoveSubtours-A.cfg

6.1.4. final2-A.cfg

6.1.5. final1-R.cfg

6.1.6. final0-R.cfg

6.1.7. test-C.cfg

6.1.8. transit-C.cfg

6.1.9. final2-C.cfg

6.1.10. fianl0-C.cfg

6.1.11. final1-A.cfg

6.1.12. auto-R.cfg

6.1.13. auto-C.cfg

6.1.14. RemoveSubtours-C.cfg

6.1.15. final2-R.cfg

6.1.16. final1-C.cfb

6.1.17. final0-A.cfg

6.1.18. test-R.cfg

6.1.19. transit-R.cfg

6.2. Scripts

6.2.1. run.csh

6.2.2. FixActs.pl

6.2.3. FilterONDN.pl

6.2.4. FilterOther.pl

6.2.5. AddParkingCost.pl

6.2.6. CombineDat.pl

6.2.7. ItdbByTour.pl

6.2.8. ReModeTrans.pl

6.2.9. Select-Random.pl

6.2.10. Match_Pop.pl

6.2.11. Match_Acts.pl

6.2.12. Stratify.pl

Volume Four – General Results (not validation)

Chapter One – Population

1. General Results
    1.1. Agreement with Forecast
    1.2. Example Block Group
2. Summary

Chapter Two – Activities

1. Activities

Chapter Three – Routes

1. Network
2. Plan Files
3. Anomalies
4. Execution Time

Chapter Four – Microsimulation

1. Configuration File Keys
    1.1. Notes on Configuration File Key Values
2. Bug Fixes
3. Changes in Logic
4. Computing Environment

Volume Five – Postprocessing for Environmental Analysis

Chapter One – Environmental Module Overview

Chapter Two – Application to Portland

Chapter Three – Module Testing and Calibration

Chapter Four – Portland Emissions

1. Generation of Portland Emissions
    1.1. Microsimulation Setup
    1.2. Output from Microsimulation
    1.3. Disk Usage of Microsimulation's Output Files
    1.4. Emissions Modules and Resulting Files
    1.5. Problems
    1.6. Summary
2. Analysis of Portland Emissions

Volume Six – Summary / Forecast Methods

Volume Seven – Appendix: Scripts, Configuration Files, Special Travel Time Functions

Chapter One – Default Configuration

1. allstr.cfg

Chapter Two – PS-1

1. Configuration Files
    1.1. 01200.cfg
    1.2. 01300.cfg
    1.3. 01400.cfg
    1.4. 01500.cfg
    1.5. 01901.cfg
    1.6. 01902.cfg
    1.7. allstr.cfg

Chapter Three – AS-1

1. Configuration Files
    1.1. Allstr_Actgen.cfg

Chapter Four – AS-2

1. Shared Rides
    1.1. Configuration Files
        1.1.1. allstr_actgen.cfg
    1.2. Scripts
        1.2.1. FixSharedRides
2. Long Walks

2.1. Configuration Files

2.1.1. allstr_actgen_long_walk.cfg

2.2. Scripts

2.2.1. FindLongWalks.pl

2.2.2. FixSchoolWalk.pl

Chapter Five – AS-3

1. Configuration Files

1.1. allstr_actgen_river_cross.cfg

2. Scripts

2.1. SplitActByZone.pl

2.2. FindCrossing.pl

2.3. FixBridgeCross.NS

2.4. FixBridgeCross.SN

2.5. FixBridgeCross.WE

2.6. FixBridgeCross.EW

3. Travel Time Functions

3.1. TravelTimeFunction.C.NS

3.2. TravelTimeFunction.C.SN

3.3. TravelTimeFunction.C.SN_EW

3.4. TravelTimeFunction.C.SN_WE

Chapter Six – AS-4

1. Scripts

1.1. fixtransit.sh

Chapter Seven – AS-5

1. Scripts

1.1. fixtransit.sh

Chapter Eight – AS-6

1. Scripts
    1.1. fixwalks.csh
    1.2. FixLongWalks.csh
    1.3. FixLongWalks.pl

Chapter Nine – AS-7

1. Scripts
    1.1. FixBridgeCross.NS
    1.2. FixBridgeCross.SN
    1.3. fixbridges_again.csh
    1.4. ModFindCrossings.pl
    1.5. SplitActByZone.pl.rock

Chapter Ten – RS-7

1. Configuration Files
    1.1. allstr_router_rs7.cfg
2. Scripts
    2.1. RoutePop
    2.2. RouteTrucks
    2.3. RouteltinAm
    2.4. RouteltinMid
    2.5. RouteltinPm
    2.6. RouteltinRest
    2.7. FinishRouter
    2.8. RunRouter

2.9. RunRouter3

Chapter Eleven – MS-7

1. Configuration Files
    1.1. MS-7
    1.2. MS-20
    1.3. Signal Generation

Chapter Twelve – RS-m (Blue)

1. Configuration Files
    1.1. allstr_router_RS12-FB.cfg
2. Scripts
    2.1. CombineSummaryFiles.pl
    2.2. CleanPlan
    2.3. CreatePartialHHFile
    2.4. TravToHH.pl
    2.5. distrib.sh
    2.6. mkindex.sh
    2.7. mvplans.sh
    2.8. validateidx.sh

Chapter Thirteen – Mode Feedback

1. Configuration Files
    1.1. allstr_ONDN_A_init.cfg
    1.2. allstr_ONDN_A-MF0.cfg
    1.3. allstr_ONDN_A-MF1.cfg
    1.4. allstr_ONDN_A-MF2.cfg
    1.5. allstr_ONDN_C-init.cfg

1.6. allstr_ONDN_C-MF0.cfg

1.7. allstr_ONDN_C-MF1.cfg

1.8. allstr_ONDN_C_MF2.cfg

1.9. allstr_ONDN_R-init.cfg

1.10. allstr_ONDN_R-MF0.cfg

1.11. allstr_ONDN-R-MF1.cfg

1.12. allstr_ONDN_R-MF2.cfg

2. Scripts

2.1. CalcModeCosts.pl

2.2. CombineDB.pl

2.3. FilterONDN.pl

2.4. fit.csh

2.5. FixModes.pl

2.6. GuessMode.C

2.7. ItdbByTour.pl

2.8. ReModeONDN.pl

2.9. ReModeTrans.pl

2.10. Run.csh

2.11. RunCollator.csh

2.12. RunRouter.pl

2.13. StratifyONDN.pl

2.14. TestAlpha.pl

Chapter Fourteen – MS-E

1. Configuration Files

1.1. allstr.emissions.cfg

1.2. allstr_CA-MS19.emissions.cfg

Chapter Fifteen – EM-F

1. Configuration Files

    1.1. allstr.emissions.cfg

    1.2. allstr_emissions_MS19.cfg